

COLOUR LIKE NO OTHER

Cranfield Matt Picture Varnish

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH)

Date of issue: January 2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

: White, liquid Product form

Product name : Matt Picture Varnish Product code : 0560 (250 gm)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Industrial/Professional use spec : For professional use only

: Artists Varnish Use of the substance/mixture

: No additional information available 1.2.2. Uses advised against

1.3. Details of the supplier of the safety data sheet

> Cranfield Colours Ltd 44-47 Springvale Estate, Cwmbran NP44 5BB Wales, UK tel: 0044 (0)1633 861 421 email: hello@cranfield-colours.co.uk website: www.cranfield-colours.co.uk

1.4. Emergency telephone number : 00 44 01633 861421 - Office Hours Only. This is NOT a Poison center.

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 3 H226 STOT SE 3 H335 H336 STOT SE 3 Asp. Tox. 1 H304 Aquatic Chronic 2 H411

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

R10 Xn; R65 Xi; R37 N; R51/53

R66

R67

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental

effects No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008

[CLP] Hazard pictograms (CLP)







GHS02

GHS07

1/8

Safety Data Sheet

Conforms to Regulation (EC) No. 1907/2006 (REACH)

Signal word (CLP) : Danger

Hazardous Ingredients : Contains Hydrocarbons, C9-C12, n-alkanes, iso-alkanes, cyclic, aromatic compounds (2-25%)

and Hydrocarbon, C9 aromatics

Hazard statements (CLP) H226 - Flammable liquid and vapour

H304 - May be fatal if swallowed and enters airways

H335 - May cause respiratory irritation
H336 - May cause drowsiness or dizziness
H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (CLP) : P210 - Keep away from open flames, sparks, hot surfaces, heat. - No smoking

P261 - Avoid breathing vapours, mist, spray P273 - Avoid release to the environment

P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or doctor/physician P304+P340 - IF INHALED: remove victim to fresh air and keep at rest in a position comfortable

for breathing

P331 - Do NOT induce vomiting

EUH phrases : EUH066 - Repeated exposure may cause skin dryness or cracking

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	Concentration%	Classification according to Directive 67/548/EEC
Hydrocarbons, C9-C12, n-alkanes, iso-alkanes, cyclic, aromatic compounds (2-25%) WHITE SPIRIT	(EC no) 919-446-0 (REACH-no) 01-2119458049-33	30 - 40	Xn; R65 N; R51/53 R10 R66 R67
Hydrocrabon C9 aromatics	(CAS No) 64742-95-6 (EC no) 918-668-5 (REACH-no) 01-2119455851-35	15-20	Xn; R65 Xi; R37 N; R51/53 R10 R66 R67

Name	Product identifier	concentration%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C9-C12, n-alkanes, iso-alkanes, cyclic, aromatic compounds (2-25%)	(EC no) 919-446-0 (REACH-no) 01-2119458049-33	30 - 40	Flam. Liq. 3, H226 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Hydrocarbons, C9 aromatics	(CAS No) 64742-95-6 (EC no) 918-668-5 (REACH-no) 01-2119455851-35	15 - 20	Flam. Liq. 3, H226 STOT SE 3, H335 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

www.cranfield-colours.co.uk

Safety Data Sheet

Conforms to Regulation (EC) No. 1907/2006 (REACH)

First-aid measures after inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON

CENTER/doctor/physician if you feel unwell.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Repeated

exposure may cause skin dryness or cracking.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persist.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or

doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause respiratory irritation. May cause drowsiness or dizziness.

Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No

smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Avoid breathing vapors, mist, spray.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store aways from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of

vapour. No naked lights. No smoking. Use only non-sparking tools. Avoid breathing vapors, mist, spray. Use only outdoors or in a well-ventilated area.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Explosion-free electrical equipment and lighting with earth. Proper grounding procedures to avoid

static electricity should be followed. Ground/bond container and receiving equipment.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Heat sources.

Keep in fireproof place. Keep container tightly closed.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

Varnish

www.cranfield-colours.co.uk

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Personal protective equipment : Insufficient ventilation: wear respiratory protection. Gloves. Safety glasses. Avoid all

unnecessary exposure.









Hand protection : Wear protective gloves. Since the product consists of several substances, it is possible to

estimate the durability of the glove material beforehand and it therefore needs to be tested before use. Gloves must be replaced aftereach use and whenever signs of wear of perforation

appear.

Eye protection : Chemical goggles or safety glasses.

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is

recommended. Wear respiratory protection.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : White

characteristic. Odour Odour threshold No data available : No data available pН Relative evaporation rate (butylacetate=1) : No data available : No data available Melting point Freezing point No data available Boiling point : No data available Flash point : No data available No data available Self ignition temperature Decomposition temperature No data available

Flammability (solid, gas) : Flammable liquid and vapour

Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density No data available Solubility : No data available Log Pow : No data available Viscosity, kinematic No data available Viscosity, dynamic No data available Explosive properties : No data available Oxidising properties : No data available **Explosive limits** : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established. Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame.

www.cranfield-colours.co.uk 4/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Fumes. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

Information on toxicological effects 11.1.

: Not classified Acute toxicity

Hydrocarbons, C9-C12, n-alkanes, iso-alkanes, cyclic, aromatic compounds (2-25%)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 4000 mg/kg

	Hydrocarbons C9 aromatics (64742-95-6)	
LD50 oral rat	3592 mg/kg	
LD50 dermal rabbit	> 3160 mg/kg	
ATE (oral)	3592,000 mg/kg bodyweight	

Skin corrosion/irritation : Not classified

Repeated exposure may cause skin dryness or cracking

Serious eye damage/irritation : Not classified

Based on available data, the classification criteria are not met

Respiratory or skin sensitisation : Not classified

Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure)

: May cause respiratory irritation. May cause drowsiness or dizziness.

Specific target organ toxicity (repeated exposure)

Based on available data, the classification criteria are not met

Aspiration hazard

: May be fatal if swallowed and enters airways.

symptoms

Potential Adverse human health effects and

: Based on available data, the classification criteria are not met.

Other information

: Risk of aspiration pneumonia.

SECTION 12: Ecological information

12.1. **Toxicity**

: Toxic to aquatic life with long lasting effects. Ecology - water

Hydrocarbons, C9-C12, n-alkanes, iso-alkanes, cyclic, aromatic compounds (2-25%)	
EC50 Daphnia 1	7,8 g/l
EC50 other aquatic organisms 1	3,59 g/l
Hydrocarbons C9 aromatics (64742-95	-6)
LC50 fishes 1	9,2 mg/l
EC50 Daphnia 1	3,2 mg/l
ErC50 (algae)	2,6 - 2,9 mg/l
NOEC chronic fish	1,23 mg/l

5/8 www.cranfield-colours.co.uk

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

12.2. Persistence and degradability

Cranfield Matt Picture Varnish	
Persistence and degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Cranfield Matt Picture Varnish	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

: Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Additional information : Handle empty containers with care because residual vapours are flammable.

: Avoid release to the environment. Hazardous waste due to toxicity. Ecology - waste materials

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. **UN** number

UN-No (ADR) : 1263 : 1263 UN-No.(IATA) UN-No. (IMDG) : 1263 UN-No.(ADN) : 1263

14.2. **UN** proper shipping name

: PAINT / PAINT RELATED MATERIAL Proper Shipping Name

Transport document description : UN 1263 PAINT / PAINT RELATED MATERIAL, 3, III, (D/E)

14.3. Transport hazard class(es)

Class (UN) : 3 : F1 Classification code (UN) : 3 Class (IATA) Class (IMDG) : 3 Class (ADN) : 3 Hazard labels (UN) : 3



Packing group 14.4.

Packing group (UN) : III

Environmental hazards 14.5.

Dangerous for the environment : Yes Marine pollutant : No

Other information : No supplementary information available.

14.6. Special precautions for user

Overland transport 14.6.1.

Hazard identification number (Kemler No.) : 30 Classification code (UN) : F1

Orange plates

30

NOTE

Limited Quantity [LQ] rules apply when Maximum Individual Product Container = 5L Maximum AND Outer Box = 30 Kg (or 20Kg Shrink wrapped tray)



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Special provision (ADR) Transport : 163, 650, 640E

category (ADR) . 3 Tunnel restriction code : D/E Limited quantities (ADR) Excepted : 5L quantities (ADR) : E1 : •3YE FAC code

14.6.2. Transport by sea

No additional information available

14.6.3. Air transport

No additional information available

Inland waterway transport

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.

15.1.1. **EU-Regulations**

No REACH Annex XVII restrictions

Contains no REACH candidate substance

Seveso Information

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE Data sources

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixturejs, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Abbreviations and acronyms

Agreement concerning the International Carriage of Dangerous Goods by Road). ATE: Acute Toxicity Estimated. CAS: Chemical Abstracts Service (division of the American Chemical Society). CLP: Classification, Labeling and Packaging. CMR: Carcinogeen, Mutageen, Reprotoxisch. CSA: Chemical Safety Assessment. CSR: Chemical Safety Report. DNEL: Derived No Effect Level (for human). EC50: Median Effective Concentration (required to induce a 50% effect). EINECS: European Inventory of Existing Commercial Chemical Substances. GHS: Globally Harmonized System of Classification and Labelling of Chemicals. IATA: International Air Transport Association. IMDG: International Maritime Code for Dangerous Goods. LC50: Lethal concentration, 50 percent. LD50: Lethal dose, 50 percent . PBT: Persistent, Bio accumulating and Toxic. PNEC: Predicted No Effect Concentration (for environment) . REACH: Registration, Evaluation and Authorisation of Chemical substances . RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail). SVHC: Substances of Very High Concern

. vPvB: very Persistent, very Bio accumulating.

: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we

believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

REACH Disclaimer:

This information is based on current knowledge. Consistency of data in the SDS with CSR is

considered, as far as the information is available at the time of compilation

Other information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Full text of R-, H- and EUH-phrases:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration Hazard Category 1
Flam. Liq. 3	Flammable liquids, Category 3
STOT SE 1	Specific target organ toxicity — single exposure, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H226	Flammable liquid and vapour
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H411	Toxic to aquatic life with long lasting effects
R10	Flammable
R37	Irritating to respiratory system
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R65	Harmful: may cause lung damage if swallowed
R66	Repeated exposure may cause skin dryness or cracking
R67	Vapours may cause drowsiness and dizziness
N	Dangerous for the environment
Xi	Irritant
Xn	Harmful

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product